UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO.

: 7.119.418 B2

Page 1 of 1

APPLICATION NO.: 10/632009

DATED

: October 10, 2006

INVENTOR(S)

: Chongying Xu et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 18, line 54, "Conning" should be --forming--

Column 19, line 2, "C-C₁₀" should be --C₈-C₁₀--

Column 21, line 1, "(ß-diketonate)x.L" should be --(ß-diketonate)x·L--

Column 21, line 12, "(\beta-diketonate)_x.L" should be --(\beta-diketonate)_x.L--

Column 22, line 44, "C₅-C₁₀" should be --C₆-C₁₀--

Column 24, line 40, please delete the "," after the word "fluid"

Column 24, line 46, "(\beta-diketonate)_x.L" should be --(\beta-diketonate)_x.L--

Column 24, line 57, "(\beta-diketonate)_x.L" should be --(\beta-diketonate)_x.L--

Column 25, line 7, please insert a space after "fluid,"

Column 25, lines 50-53, please cancel claim 100

Column 26, lines 9-12, please cancel claim 103

Signed and Sealed this

Twenty-first Day of August, 2007

JON W. DUDAS Director of the United States Patent and Trademark Office